

Basic Detail Report



Soprano ukulele

Date

2003/05

Primary Maker

The Magic Fluke Company

Description

Stringing: four black nylon strings Soundboard: one-piece, laminated Australian hoop pine Back and sides: black, injection-molded, fiberglass-reinforced plastic, back rounded into sides Head: maple with cutaway center; integral with neck Neck: maple; integral with head Heel cap: none Binding: none Fingerboard: black plastic with woodgrain texture and rounded end; 15 frets integral with fingerboard, including zero fret; aluminum dots behind 5th, 7th, and 12th frets, not including zero fret Nut: black plastic, integral with fingerboard Bridge: black plastic; saddle integral with bridge; string balls fit into recesses at end of bridge Tuners: four nickel-plated steel tension tuners with black plastic heads Rosette: none Finish: light purple paint on top; clear finish on neck Linings: none; series of vertical thickenings reinforcing sides Neck block: neck extends slightly between top and black plastic reinforcement extending upward from back End block: none Top bracing: small spruce parallel brace with tapered ends below soundhole; small spruce diagonal

brace with tapered ends in lower bout Back bracing: none

Dimensions

Total ukulele length: 522 mm (20-17/32") Back length: 240 mm (9-7/16") Upper bout width: 47 mm (3-27/32") Waist width: 164 mm (6-15/32") Lower bout width: 98 mm (3-7/8") Rib height (including edging) at heel: 50 mm (1-31/32") Rib height, at waist: 59 mm (2-5/16") Rib height, at end block: 56 mm (2-3/16") Head length: 97 mm (3-27/32") Head width, top: 52 mm (2-1/16") Head width, bottom: 52 mm (2-1/16") Neck length (nut to ribs): 173 mm (6-13/16") Neck width, nut: 36 mm (1-13/32") Neck width, heel: 43 mm (1-11/16") Soundhole diameter: 51 mm (2") Vibrating string length (nut to bridge edge): 356 mm (14")